


# RACC 1000

(Refillable Activated Carbon Cartridge)

The RACC 1000 inline duct filter can be used in the Black Box IDF-1000 series housings as an excellent tool for odor and chemical mitigation and control. Designed for use in exhaust, transit, and passive duct systems. The RACC 1000 has over 20 lbs. of organic coconut pellet and is refillable! Ideal for larger spaces the RACC 1000 is the most efficient way to filter annoying odors.



## Product description:

<b>Retail Price RACC 500:</b>	<b>\$129.95</b>
<b>CFM:</b>	<b>500 CFM</b>
<b>Filter Size:</b>	<b>19 3/4" x 19 3/4"</b>
<b>Carbon Weight:</b>	<b>16 lbs.</b>
<b>Filled weight</b>	<b>22 lbs.</b>
<b>Color:</b>	<b>Black</b>
<b>Material:</b>	<b>Aluminum tray</b>
<b>Construction:</b>	<b>Welded, rivots</b>
<b>Access:</b>	<b>Sliding Door</b>
<b>Filter Type:</b>	<b>Carbon Cartridge</b>
<b>Resistance:</b>	<b>20-30%</b>

## RACC series

DESCRIPTION: Coconut shell activated carbon with a well developed pore structure, providing a wide range of molecular adsorption.

Media is available in

- 12" x 12" x 2"
- 20" x 20" x 2"

APPLICATIONS: Controls a wide range of molecular weights making it ideally suited for all general commercial and industrial air filtration applications requiring chemical filtration.

## Physical Properties

Activity for CCL <sub>4</sub> , (ASTM D3467-94)	60 - 65%
Bulk Density, Typical	29 LBS/ CU FT
Moisture content, As Packed	2%
Ball Pan Hardness, (ASTM D3802-79)	98, Minimum
Iodine Number, MG/G (ASTM 4607-94)	1150, Minimum
Ash Content, Maximum	3%